B1 Cancel

visibility composition may further include additional radiopaque particles or contrast particles mixed in with the composition, which have a particle size between about 120μ and 350μ, preferably between about 120μ and 250μ.

**IN THE CLAIMS**

*Claims 33-43 should read as follows in view of this Amendment and the Second Preliminary Amendment filed December 17, 2001:*

33. An injectable composition comprising:

a biocompatible matrix;

radiopaque particles mixed within said biocompatible matrix, said radiopaque particles having a particle size between about 120μ and 2200μ; and

liquid contrast agent.

34. The injectable composition of claim 33, wherein said biocompatible matrix and said radiopaque particles form a slurry.

35. The injectable composition of claim 33, wherein the mixture of said biocompatible matrix and said radiopaque particles forms a hard tissue implant material.

36. The injectable composition of claim 33, wherein said radiopaque particles have a particle size between about 350μ and 2200μ.

37. The injectable composition of claim 36, further comprising:

B2 radiopaque particles for contrast having a particle size between about 120μ and 350μ.

38. The injectable composition of claim 36, wherein said radiopaque particles have a particle size between about 450μ and 1600μ.

39. The injectable composition of claim 38, wherein said radiopaque particles having a particle size between about 570μ and 1150μ.

40. An enhanced visibility composition comprising:

a flowable matrix; and

radiopaque particles in said flowable matrix, said radiopaque particles having a size between about 350μ and about 2200μ so as to be individually visible during implantation.

41. The enhanced visibility composition of claim 40, wherein said radiopaque particles have a size between about 570μ and 2200μ.

B3 Sub D2 New 42. The enhanced visibility composition of claim 40, wherein said radiopaque particles have a size between about 450μ and 1600μ.

new

B3 43. The enhanced visibility composition of claim 40, wherein said radiopaque particles have a size between about 570μ and 1150μ.

*Please enter the following new claims, corresponding to original claims 33-41, except to the extent explained in the Remarks below*

Sub D 5 44. (New) The injectable composition of claim 40, further comprising:

radiopaque particles for contrast having a particle size between about 120μ and 350μ.

45. (New) The injectable composition of claim 40, further comprising:

radiopaque particles for contrast having a particle size up to about 350μ.

46. (New) The injectable composition of claim 36, further comprising:

radiopaque particles for contrast having a particle size up to about 350μ.

47. (New) An injectable composition comprising:

B4 a hard tissue implant biocompatible matrix; and

radiopaque particles mixed within said biocompatible matrix, said radiopaque particles having a particle size between about 120μ and 2200μ.

48. (New) The injectable composition of claim 47, wherein said biocompatible matrix and said radiopaque particles form a slurry.

49. (New) The injectable composition of claim 47, wherein said radiopaque particles have a particle size between about 350μ and 2200μ.

50. (New) The injectable composition of claim 47, wherein said radiopaque particles have a particle size between about 450μ and 1600μ.

51. (New) The injectable composition of claim 50, wherein said radiopaque particles have a particle size between about 570μ and 1150μ.

52. (New) The injectable composition of claim 49, further comprising:

radiopaque particles for contrast having a particle size between about 120μ and 350μ.

53. (New) The injectable composition of claim 49, further comprising:

radiopaque particles for contrast having a particle size up to about 350μ.

## REMARKS

**Formal Matters**

Claims 33-53 are pending after entry of the amendments set forth herein.

Claims 33-41 were examined in the Office Action dated December 19,2001 prior to entry of the Second Preliminary Amendment filed by Applicant on December 4, 2001. As such, claims 33-41 as